OPULENCE

by SELECTRIC

Flat Metal Plate Decorative Wiring Accessories

Polished Chrome With White Insert
Satin Chrome With White Insert
Satin Chrome With Black Insert
Polished Brass With Black Insert
Satin Brass With Black Insert
Pearl Nickel With Black Insert
Black Nickel With Black insert

- 10 amp Plate Switches
- Dimmers Push n / ff & No De- ating
- 20 amp DP Switches
- 45 amp DP Switches
- 13 amp Socket utlets
- ound Pin Socket utlets
- Fused Connection Units
- 45 amp Cooker Units
- Cable utlets / Connectors
- Shaver Suppl8 Unit
- TV/FM & Satellite Sockets
- Communication / Data Sockets
- Blanking Plates

Introduction

OPULENCE by SELECTRIC

The large and comprehensive range of flat metal plate decorative wiring accessories represents the perfect combination of style and durability.

Coming in several classical finishes with the option of black or white interiors, the sleek flat line dimensions of the Opulence range adds a touch of luxury and quality to any room. A truly stunning decorative effect!

Manufactured to the latest British and European standards, backed with a 5 year plate guarantee and easy to install you can be assured that this range is not only stylish but very durable and long lasting.

- Compliant with the latest British and European standards
- CE approved and marked where applicable
- 5 year guarantee
- Each piece 100% appearance and function tested before being released
- Truly stunning finishes
- Easy to install
- Attractive point of sale packaging

Contents

	Page
10 amp Plate Switches	122
Dimmers Push On / Off	123
20 amp DP Switches	124
45 amp DP Switches	125
13 amp Socket Outlets	126
Round Pin Socket Outlets	127
Fused Connection Units	128
45 amp Cooker Units	129
Cable Outlets / Connectors	130
Shaver Supply Units	131
TV / FM & Satellite Sockets	132
Communication / Data Sockets	133
Blanking Plates	134

Features & Benefits

- All 10 amp switch modules are interchangeable with any plate product within the Opulence range

- Easy to install with a clean and modern design

- Each piece 100% appearance and function tested before being released for sale

- CE approved and marked where applicable

- Compliant with the latest British and European standards

- 5 year manufacturer's guarantee

Technical Information

Specifications & Features
Dimensions
86x86mm (1 gang)
86x146mm (2 gang)
Supplied with M3.5 fixing screws

10 Amp Plate Switches
- Compliant with BSEN60669-1
- 3 Pole fan isolator compliant with BSEN60947-3-1992
- CE Marked
- X-rated for fluorescent or inductive loads

Dimmers Push On/Off
- Compliant with BSEN60669-2-1 vairous
- CE Marked

20 Amp DP Switches
- Compliant with BS3676
- CE Marked
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

45 Amp DP Switches
- Compliant with BS3676
- CE Marked

13 Amp Socket Outlets
- Compliant with BS1363
- 2 earth terminals for safe installation

Round Pin Socket Outlets
- Compliant with BS546

Fused Connection Units
- Compliant with BS1363
- CE Marked

45 Amp Cooker Units
- Compliant with BS4177

Cable Outlets/ Connectors
- Compliant with BS5733

Shaver Supply Unit
- Compliant with BS3535

TV/FM & Satellite Sockets
- Compliant with BS3041 where applicable
- Suitable for use with VHF/UHF TV & VHF signals

Communication/Data Sockets
- Compliant with BABT & BSEN41003 where applicable

Blanking Plates
- Compliant with BS5733


LG208-FSBB

LG205-FPNB

LG208-FBNB

LG201-2-FPCW

LG208-FSCW

LG208-FSCB

Code No.	Description
Polished Chrome White Insert	
LG201-2-FPCW	1 gang 2 way - X-Rated
LG202-FPCW	2 gang 2 way - X-Rated
LG203-FPCW	3 gang 2 way - X-Rated
LG204-FPCW	4 gang 2 way - X-Rated
LG207-FPCW	6 gang 2 way - X-Rated
LG205-FPCW	Push switch "bell" - X-Rated
LG206-FPCW	1 gang intermediate - X-Rated
LG208-FPCW	3 pole fan isolator - X-Rated
Satin Chrome White Insert	
LG201-2-FSCW	1 gang 2 way - X-Rated
LG202-FSCW	2 gang 2 way - X-Rated
LG203-FSCW	3 gang 2 way - X-Rated
LG204-FSCW	4 gang 2 way - X-Rated
LG207-FSCW	6 gang 2 way - X-Rated
LG205-FSCW	Push switch "bell" - X-Rated
LG206-FSCW	1 gang intermediate - X-Rated
LG208-FSCW	3 pole fan isolator - X-Rated
Satin Chrome Black Insert	
LG201-2-FSCB	1 gang 2 way - X-Rated
LG202-FSCB	2 gang 2 way - X-Rated
LG203-FSCB	3 gang 2 way - X-Rated
LG204-FSCB	4 gang 2 way - X-Rated
LG207-FSCB	6 gang 2 way - X-Rated
LG205-FSCB	Push switch "bell" - X-Rated
LG206-FSCB	1 gang intermediate - X-Rated
LG208-FSCB	3 pole fan isolator - X-Rated
Polished Brass Black Insert	
LG201-2-FPBB	1 gang 2 way - X-Rated
LG202-FPBB	2 gang 2 way - X-Rated
LG203-FPBB	3 gang 2 way - X-Rated
LG204-FPBB	4 gang 2 way - X-Rated
LG207-FPBB	6 gang 2 way - X-Rated
LG205-FPBB	Push switch "bell" - X-Rated
LG206-FPBB	1 gang intermediate - X-Rated
LG208-FPBB	3 pole fan isolator - X-Rated
Satin Brass Black Insert	
LG201-2-FSBB	1 gang 2 way - X-Rated
LG202-FSBB	2 gang 2 way - X-Rated
LG203-FSBB	3 gang 2 way - X-Rated
LG204-FSBB	4 gang 2 way - X-Rated
LG207-FSBB	6 gang 2 way - X-Rated
LG205-FSBB	Push switch "bell" - X-Rated
LG206-FSBB	1 gang intermediate - X-Rated
LG208-FSBB	3 pole fan isolator - X-Rated
Pearl Nickel Black Insert	
LG201-2-FPNB	1 gang 2 way - X-Rated
LG202-FPNB	2 gang 2 way - X-Rated
LG203-FPNB	3 gang 2 way - X-Rated
LG204-FPNB	4 gang 2 way - X-Rated
LG207-FPNB	6 gang 2 way - X-Rated
LG205-FPNB	Push switch "bell" - X-Rated
LG206-FPNB	1 gang intermediate - X-Rated
LG208-FPNB	3 pole fan isolator - X-Rated
Black Nickel Black Insert	
LG201-2-FBNB	1 gang 2 way - X-Rated
LG202-FBNB	2 gang 2 way - X-Rated
LG203-FBNB	3 gang 2 way - X-Rated
LG204-FBNB	4 gang 2 way - X-Rated
LG207-FBNB	6 gang 2 way - X-Rated
LG205-FBNB	Push switch "bell" - X-Rated
LG206-FBNB	1 gang intermediate - X-Rated
LG208-FBNB	3 pole fan isolator - X-Rated

10 Amp Plate Switches

LG204-FPCW
4 gang 2 way

LG207-FSCW
6 gang 2 way

LG204-FSCB
4 gang 2 way

LG207-FPBB
6 gang 2 way

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Each terminal capable of accepting 3x1.5mm
- X-rated for fluorescent or inductive loads
- LG208 compliant with BSEN60947-3-1992

All 10 amp switch modules are interchangeable with any plate product within the range

call to order +44 (0)161 745 7777 fax to order +44 (0)161 745 2777 email: sales@selectricuk.co.uk website: www.selectricuk.co.uk

Dimmers Push On/Off

LG203/400-FPC
3 gang 2 way 400 watt

LG201-2/400-FSC
1 gang 2 way 400 watt

LG203/400-FPB
4 gang 2 way 400 watt

LG201-2/1000-FSB
1 gang 2 way 1000 watt

Features:

- Compliant with BSEN60669-2-1 various
- CE Marked
- Fits a plaster mounting box (25mm)
- 3 Year Gurantee

LG203/400-FPN

LG203/400-FBN

LG201-2/400-FPC

LG203/400-FSC

LG201-2/400-FPB

Code No.	Description
Polished Chrome	
LG201-2/400-FPC	1 gang 2 way 400 watt
LG201-2/1000-FPC	1 gang 2 way 1000 watt
LG202/400-FPC	2 gang 2 way 400 watt
LG203/400-FPC	3 gang 2 way 400 wat
LG204/250-FPC	4 gang 2 way 250 watt
LG204/400-FPC	4 gang 2 way 400 watt
Satin Chrome	
LG201-2/400-FSC	1 gang 2 way 400 watt
LG201-2/1000-FSC	1 gang 2 way 1000 watt
LG202/400-FSC	2 gang 2 way 400 watt
LG203/400-FSC	3 gang 2 way 400 wat
LG204/250-FSC	4 gang 2 way 250 watt
LG204/400-FSC	4 gang 2 way 400 watt
Polished Brass	
LG201-2/400-FPB	1 gang 2 way 400 watt
LG201-2/1000-FPB	1 gang 2 way 1000 watt
LG202/400-FPB	2 gang 2 way 400 watt
LG203/400-FPB	3 gang 2 way 400 wat
LG204/250-FPB	4 gang 2 way 250 watt
LG204/400-FPB	4 gang 2 way 400 watt
Satin Brass	
LG201-2/400-FSB	1 gang 2 way 400 watt
LG201-2/1000-FSB	1 gang 2 way 1000 watt
LG202/400-FSB	2 gang 2 way 400 watt
LG203/400-FSB	3 gang 2 way 400 wat
LG204/250-FSB	4 gang 2 way 250 watt
LG204/400-FSB	4 gang 2 way 400 watt
Pearl Nickel	
LG201-2/400-FPN	1 gang 2 way 400 watt
LG201-2/1000-FPN	1 gang 2 way 1000 watt
LG202/400-FPN	2 gang 2 way 400 watt
LG203/400-FPN	3 gang 2 way 400 wat
LG204/250-FPN	4 gang 2 way 250 watt
LG204/400-FPN	4 gang 2 way 400 watt
Black Nickel	
LG201-2/400-FBN	1 gang 2 way 400 watt
LG201-2/1000-FBN	1 gang 2 way 1000 watt
LG202/400-FBN	2 gang 2 way 400 watt
LG203/400-FBN	3 gang 2 way 400 wat
LG204/250-FBN	4 gang 2 way 250 watt
LG204/400-FBN	4 gang 2 way 400 watt

LG220N-FSBB

LG220N-FPNB

LG220N-FBNB

LG220-FPCW

LG220-FSCW

LG220N-FSCB

LG220N-FPBB

LG220-FSBB

LG220-FPNB

LG220-FBNB

Code No.	Description
Polished Chrome White Insert	
LG220-FPCW	20 amp DP switch
LG220N-FPCW	20 amp DP switch with neon
Satin Chrome White Insert	
LG220-FSCW	20 amp DP switch
LG220N-FSCW	20 amp DP switch with neon
Satin Chrome Black Insert	
LG220-FSCB	20 amp DP switch
LG220N-FSCB	20 amp DP switch with neon
Polished Brass Black Insert	
LG220-FPBB	20 amp DP switch
LG220N-FPBB	20 amp DP switch with neon
Satin Brass Black Insert	
LG220-FSBB	20 amp DP switch
LG220N-FSBB	20 amp DP switch with neon
Pearl Nickel Black Insert	
LG220-FPNB	20 amp DP switch
LG220N-FPNB	20 amp DP switch with neon
Black Nickel Black Insert	
LG220-FBNB	20 amp DP switch
LG220N-FBNB	20 amp DP switch with neon

20 Amp DP Switches

LG220N-FPCW
20 amp DP switch Neon

LG220N-FSCW
20 amp DP switch Neon

LG220-FSCB
20 amp DP Switch

LG220-FPBB
20 amp DP Switch

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth)
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

45 Amp DP Switches

LG952N-FPCW
2 gang plate with neon

LG952N-FSCW
2 gang plate with neon

LG952-FSCB
2 gang plate

LG952N-FPBB
2 gang plate with neon

Features:

- Compliant with BS3676, BSEN60669
- CE Marked



LG951-FSBB

LG951-FPNB



LG951-FBNB

LG951-FPCW

LG951-FSCW

LG951-FSCB

LG951N-FPBB



LG951N-FSBB

LG951N-FPNB

LG951N-FBNB

Code No.	Description
Polished Chrome White Insert	
LG951-FPCW	1 gang plate
LG951N-FPCW	1 gang plate with neon
LG952-FPCW	2 gang plate
LG952N-FPCW	2 gang plate with neon
Satin Chrome White Insert	
LG951-FSCW	1 gang plate
LG951N-FSCW	1 gang plate with neon
LG952-FSCW	2 gang plate
LG952N-FSCW	2 gang plate with neon
Satin Chrome Black Insert	
LG951-FSCB	1 gang plate
LG951N-FSCB	1 gang plate with neon
LG952-FSCB	2 gang plate
LG952N-FSCB	2 gang plate with neon
Polished Brass Black Insert	
LG951-FPBB	1 gang plate
LG951N-FPBB	1 gang plate with neon
LG952-FPBB	2 gang plate
LG952N-FPBB	2 gang plate with neon
Satin Brass Black Insert	
LG951-FSBB	1 gang plate
LG951N-FSBB	1 gang plate with neon
LG952-FSBB	2 gang plate
LG952N-FSBB	2 gang plate with neon
Pearl Nickel Black Insert	
LG951-FPNB	1 gang plate
LG951N-FPNB	1 gang plate with neon
LG952-FPNB	2 gang plate
LG952N-FPNB	2 gang plate with neon
Black Nickel Black Insert	
LG951-FBNB	1 gang plate
LG951N-FBNB	1 gang plate with neon
LG952-FBNB	2 gang plate
LG952N-FBNB	2 gang plate with neon


LG9143-FSBB

LG9143-FPNB

LG9143-FBNB

LG9097-FPCW

LG9097-FSCW

LG9143-FSCB

LG9097-FPBB

LG9097-FSBB



Code No.	Description
Polished Chrome White Insert	
LG9143-FPCW	1 gang unswitched
LG9142-FPCW	2 gang unswitched + 2 earth terminals
LG9097-FPCW	1 gang switched DP
LG9096-FPCW	2 gang switched DP + 2 earth terminals
Satin Chrome White Insert	
LG9143-FSCW	1 gang unswitched
LG9142-FSCW	2 gang unswitched + 2 earth terminals
LG9097-FSCW	1 gang switched DP
LG9096-FSCW	2 gang switched DP + 2 earth terminals
Satin Chrome Black Insert	
LG9143-FSCB	1 gang unswitched
LG9142-FSCB	2 gang unswitched + 2 earth terminals
LG9097-FSCB	1 gang switched DP
LG9096-FSCB	2 gang switched DP + 2 earth terminals
Polished Brass Black Insert	
LG9143-FPBB	1 gang unswitched
LG9142-FPBB	2 gang unswitched + 2 earth terminals
LG9097-FPBB	1 gang switched DP
LG9096-FPBB	2 gang switched DP + 2 earth terminals
Satin Brass Black Insert	
LG9143-FSBB	1 gang unswitched
LG9142-FSBB	2 gang unswitched + 2 earth terminals
LG9097-FSBB	1 gang switched DP
LG9096-FSBB	2 gang switched DP + 2 earth terminals
Pearl Nickel Black Insert	
LG9143-FPNB	1 gang unswitched
LG9142-FPNB	2 gang unswitched + 2 earth terminals
LG9097-FPNB	1 gang switched DP
LG9096-FPNB	2 gang switched DP + 2 earth terminals
Black Nickel Black Insert	
LG9143-FBNB	1 gang unswitched
LG9142-FBNB	2 gang unswitched + 2 earth terminals
LG9097-FBNB	1 gang switched DP
LG9096-FBNB	2 gang switched DP + 2 earth terminals

13 Amp Socket Outlets

LG9096-FPCW
2 gang switched DP

LG9096-FSCW
2 gang switched DP

LG9097-FSCB
1gang switched DP

LG9097-FPBB
1 gang switched DP

Features:

- Compliant with BS1363
- Terminals capable of accepting up to 4x2.5mm conductors
- 2 earth terminals for easy installation

Round Pin Sockets Outlets

LG9091-FPCW
2 amp 3 pin

LG9092-FSCW
5 amp 3 pin

LG9092-FSCB
5 amp 3 pin

LG9091-FPBB
2 amp 3 pin

Features:

- Compliant with BS546

LG9091-FSBB

LG9091-FPNB

LG9091-FBNB

LG9092-FPCW

LG9091-FSCW

LG9091-FSCB

LG9092-FPBB

LG9092-FSBB

LG9092-FPNB

LG9092-FBNB

Code No.	Description
Polished Chrome White Insert	
LG9091-FPCW	2 amp 3 pin
LG9092-FPCW	5 amp 3 pin
Satin Chrome White Insert	
LG9091-FSCW	2 amp 3 pin
LG9092-FSCW	5 amp 3 pin
Satin Chrome Black Insert	
LG9091-FSCB	2 amp 3 pin
LG9092-FSCB	5 amp 3 pin
Polished Brass Black Insert	
LG9091-FPBB	2 amp 3 pin
LG9092-FPBB	5 amp 3 pin
Satin Brass Black Insert	
LG9091-FSBB	2 amp 3 pin
LG9092-FSBB	5 amp 3 pin
Pearl Nickel Black Insert	
LG9091-FPNB	2 amp 3 pin
LG9092-FPNB	5 amp 3 pin
Black Nickel Black Insert	
LG9091-FBNB	2 amp 3 pin
LG9092-FBNB	5 amp 3 pin

LG9218/F-FSBB

LG9218/F-FPNB

LG9218/F-FBNB

LG9218N-FPCW

Code No.	Description
Polished Chrome White Insert	
LG9228-FPCW	13 amp unswitched
LG9228N-FPCW	13 amp unswitched with neon
LG9218-FPCW	13 amp DP switched
LG9218/F-FPCW	13 amp DP switched with flex outlet on front plate
LG9218N-FPCW	13 amp DP switched with neon
LG9218N/F-FPCW	13 amp DP switched with neon with flex outlet on front plate
Satin Chrome White Insert	
LG9228-FSCW	13 amp unswitched
LG9228N-FSCW	13 amp unswitched with neon
LG9218-FSCW	13 amp DP switched
LG9218/F-FSCW	13 amp DP switched with flex outlet on front plate
LG9218N-FSCW	13 amp DP switched with neon
LG9218N/F-FSCW	13 amp DP switched with neon with flex outlet on front plate
Satin Chrome Black Insert	
LG9228-FSCB	13 amp unswitched
LG9228N-FSCB	13 amp unswitched with neon
LG9218-FSCB	13 amp DP switched
LG9218/F-FSCB	13 amp DP switched with flex outlet on front plate
LG9218N-FSCB	13 amp DP switched with neon
LG9218N/F-FSCB	13 amp DP switched with neon with flex outlet on front plate
Polished Brass Black Insert	
LG9228-FPBB	13 amp unswitched
LG9228N-FPBB	13 amp unswitched with neon
LG9218-FPBB	13 amp DP switched
LG9218/F-FPBB	13 amp DP switched with flex outlet on front plate
LG9218N-FPBB	13 amp DP switched with neon
LG9218N/F-FPBB	13 amp DP switched with neon with flex outlet on front plate
Satin Brass Black Insert	
LG9228-FSBB	13 amp unswitched
LG9228N-FSBB	13 amp unswitched with neon
LG9218-FSBB	13 amp DP switched
LG9218/F-FSBB	13 amp DP switched with flex outlet on front plate
LG9218N-FSBB	13 amp DP switched with neon
LG9218N/F-FSBB	13 amp DP switched with neon with flex outlet on front plate
Pearl Nickel Black Insert	
LG9228-FPNB	13 amp unswitched
LG9228N-FPNB	13 amp unswitched with neon
LG9218-FPNB	13 amp DP switched
LG9218/F-FPNB	13 amp DP switched with flex outlet on front plate
LG9218N-FPNB	13 amp DP switched with neon
LG9218N/F-FPNB	13 amp DP switched with neon with flex outlet on front plate
Black Nickel Black Insert	
LG9228-FBNB	13 amp unswitched
LG9228N-FBNB	13 amp unswitched with neon
LG9218-FBNB	13 amp DP switched
LG9218/F-FBNB	13 amp DP switched with flex outlet on front plate
LG9218N-FBNB	13 amp DP switched with neon
LG9218N/F-FBNB	13 amp DP switched with neon with flex outlet on front plate

Fused Connection Units

LG9218N/F-FPCW
13 amp DP switch with neon
with flex outlet on front

LG9218N/F-FSCW
13 amp DP switch with neon
with flex outlet on front

LG9218N-FSCB
13 amp DP switched
with neon

LG9218N-FPBB
13 amp DP switched
with neon

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth)
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

45 Amp Cooker Units



LG953N-FPCW
with 13 amp switched socket with neons



LG953N-FSCW
with 13 amp switched socket with neons



LG953N-FSCB
with 13 amp switched socket with neons



LG953N-FPBB
with 13 amp switched socket with neons

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Each terminal capable of accepting 3x1.5mm
- X-rated for fluorescent or inductive loads

LG953-FSBB

LG953-FPNB

LG953-FBNB

LG953-FPCW

LG953-FSCW

LG953-FSCB

LG953-FPBB

LG953N-FSBB

LG953N-FPNB

LG953N-FBNB



Code No.	Description
Polished Chrome White Insert	
LG953-FPCW	with 13 amp switched socket
LG953N-FPCW	with 13 amp switched with neons
Satin Chrome White Insert	
LG953-FSCW	with 13 amp switched socket
LG953N-FSCW	with 13 amp switched with neons
Satin Chrome Black Insert	
LG953-FSCB	with 13 amp switched socket
LG953N-FSCB	with 13 amp switched with neons
Polished Brass Black Insert	
LG953-FPBB	with 13 amp switched socket
LG953N-FPBB	with 13 amp switched with neons
Satin Brass Black Insert	
LG953-FSBB	with 13 amp switched socket
LG953N-FSBB	with 13 amp switched with neons
Pearl Nickel Black Insert	
LG953-FPNB	with 13 amp switched socket
LG953N-FPNB	with 13 amp switched with neons
Black Nickel Black Insert	
LG953-FBNB	with 13 amp switched socket
LG953N-FBNB	with 13 amp switched with neons

Code No.	Description
Polished Chrome White Insert	
LG960-FPCW	20 amp with centre and side entry
Satin Chrome White Insert	
LG960-FSCW	20 amp with centre and side entry
Satin Chrome Black Insert	
LG960-FSCB	20 amp with centre and side entry
Polished Brass Black Insert	
LG960-FPBB	20 amp with centre and side entry
Satin Brass Black Insert	
LG960-FSBB	20 amp with centre and side entry
Pearl Nickel Black Insert	
LG960-FPNB	20 amp with centre and side entry
Black Nickel Black Insert	
LG960-FBNB	20 amp with centre and side entry

Cable Outlets / Connectors

LG960-FPCW
20 amp with centre entry

LG960-FSCW
20 amp with centre entry

LG960-FSCB
20 amp with centre entry

LG960-FPBB
20 amp with centre entry

Features:

- Compliant with BS5733
- CE Marked
- Terminals capable of accepting 3x2.5mm conductors for 20/25 amp
- Cable clamp located on inside of 45 amp plate capable of accepting 4mm to 16mm cable

Shaver Supply Units

LG9870-FPCW
Dual voltage- 220/240v 50Hz input -230/115v output

LG9870-FSCW
Dual voltage- 220/240v 50Hz input -230/115v output

LG9870-FSCB
Dual voltage- 220/240v 50Hz input -230/115v output

LG9870-FPBB
Dual voltage- 220/240v 50Hz input -230/115v output

Features:
- Compliant with BS3535
- Terminals capable of accepting 2x2.5mm conductors

Code No.	Description
Polished Chrome White Insert	
LG9870-FPCW	Dual Voltage - 220/240v 50Hz input - 230/115v output
Polished Chrome Black Insert	
LG9870-FPCB	Dual Voltage - 220/240v 50Hz input - 230/115v output
Satin Chrome White Insert	
LG9870-FSCW	Dual Voltage - 220/240v 50Hz input - 230/115v output
Satin Chrome Black Insert	
LG9870-FSCB	Dual Voltage - 220/240v 50Hz input - 230/115v output
Polished Brass Black Insert	
LG9870-FPBB	Dual Voltage - 220/240v 50Hz input - 230/115v output
Satin Brass Black Insert	
LG9870-FSBB	Dual Voltage - 220/240v 50Hz input - 230/115v output
Pearl Nickel Black Insert	
LG9870-FPNB	Dual Voltage - 220/240v 50Hz input - 230/115v output
Black Nickel Black Insert	
LG9870-FBNB	Dual Voltage - 220/240v 50Hz input - 230/115v output


LG2163-FSBB

LG2163-FPNB

LG2163-FBNB

LGSAT/2-FPCW

LGSAT-FSCW

LGSAT-FSCB

LGSAT/2-FPBB

LGSAT/2-FSBB

Code No.	Description
Polished Chrome White Insert	
LG2162-FPCW	1 gang TV
LG2163-FPCW	2 gang TV/FM
LGSAT-FPCW	1 gang satellite
LGSAT/2-FPCW	2 gang satellite (1x satellite, 1 x TV/FM)
Satin Chrome White Insert	
LG2162-FSCW	1 gang TV
LG2163-FSCW	2 gang TV/FM
LGSAT-FSCW	1 gang satellite
LGSAT/2-FSCW	2 gang satellite (1x satellite, 1 x TV/FM)
Satin Chrome Black Insert	
LG2162-FSCB	1 gang TV
LG2163-FSCB	2 gang TV/FM
LGSAT-FSCB	1 gang satellite
LGSAT/2-FSCB	2 gang satellite (1x satellite, 1 x TV/FM)
Polished Brass Black Insert	
LG2162-FPBB	1 gang TV
LG2163-FPBB	2 gang TV/FM
LGSAT-FPBB	1 gang satellite
LGSAT/2-FPBB	2 gang satellite (1x satellite, 1 x TV/FM)
Satin Brass Black Insert	
LG2162-FSBB	1 gang TV
LG2163-FSBB	2 gang TV/FM
LGSAT-FSBB	1 gang satellite
LGSAT/2-FSBB	2 gang satellite (1x satellite, 1 x TV/FM)
Pearl Nickel Black Insert	
LG2162-FPNB	1 gang TV
LG2163-FPNB	2 gang TV/FM
LGSAT-FPNB	1 gang satellite
LGSAT/2-FPNB	2 gang satellite (1x satellite, 1 x TV/FM)
Black Nickel Black Insert	
LG2162-FBNB	1 gang TV
LG2163-FBNB	2 gang TV/FM
LGSAT-FBNB	1 gang satellite
LGSAT/2-FBNB	2 gang satellite (1x satellite, 1 x TV/FM)

TV / FM Satellite Sockets

LGSAT-FPNB
1 gang satellite

LGSAT/2-FSCW
2 gang
TV/FM/Satellite

LG2163-FSCB
2 gang TV/FM

LGSAT-FBNB
1 gang satellite

Features:

- Compliant with BS3041 where applicable
- Isolated versions suitable for use with multi-outlet aerial commercial systems
- Suitable for use with VHF/UHF TV &VHF signals

call to order +44 (0)161 745 7777 fax to order +44 (0)161 745 2777 email: sales@selectricuk.co.uk website: www.selectricuk.co.uk

Communication / Data Sockets

LG1514-FPCW
1 gang master telephone

LG1514-FSCW
1 gang master telephone

LG1514-FPNB
1 gang master telephone

LGRJ45-FPBB
2 gang RJ45
(computer/data)

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Each terminal capable of accepting 3x1.5mm
- X-rated for fluorescent or inductive loads

Code No.	Description
Polished Chrome White Insert	
LG1514-FPCW	1 gang master telephone socket
LG1515-FPCW	1 gang secondary telephone socket
LGRJ45-FPCW	1 gang RJ45 (computer / data)
LGRJ45/2-FPCW	2 gang RJ45 (computer / data)
Satin Chrome White Insert	
LG1514-FSCW	1 gang master telephone socket
LG1515-FSCW	1 gang secondary telephone socket
LGRJ45-FSCW	1 gang RJ45 (computer / data)
LGRJ45/2-FSCW	2 gang RJ45 (computer / data)
Satin Chrome Black Insert	
LG1514-FSCB	1 gang master telephone socket
LG1515-FSCB	1 gang secondary telephone socket
LGRJ45-FSCB	1 gang RJ45 (computer / data)
LGRJ45/2-FSCB	2 gang RJ45 (computer / data)
Polished Brass Black Insert	
LG1514-FPBB	1 gang master telephone socket
LG1515-FPBB	1 gang secondary telephone socket
LGRJ45-FPBB	1 gang RJ45 (computer / data)
LGRJ45/2-FPBB	2 gang RJ45 (computer / data)
Satin Brass Black Insert	
LG1514-FSBB	1 gang master telephone socket
LG1515-FSBB	1 gang secondary telephone socket
LGRJ45-FSBB	1 gang RJ45 (computer / data)
LGRJ45/2-FSBB	2 gang RJ45 (computer / data)
Pearl Nickel Black Insert	
LG1514-FPNB	1 gang master telephone socket
LG1515-FPNB	1 gang secondary telephone socket
LGRJ45-FPNB	1 gang RJ45 (computer / data)
LGRJ45/2-FPNB	2 gang RJ45 (computer / data)
Black Nickel Black Insert	
LG1514-FBNB	1 gang master telephone socket
LG1515-FBNB	1 gang secondary telephone socket
LGRJ45-FBNB	1 gang RJ45 (computer / data)
LGRJ45/2-FBNB	2 gang RJ45 (computer / data)

Blanking Plates

LG9112-FPC

LG9112-FSC

LG9112-FPB

LG9112-FSB

LG9111-FPN

LG9111-FBN



Code No.	Description
Polished Chrome	
LG9111-FPC	1 gang
LG9112-FPC	2 gang
Satin Chrome	
LG9111-FSC	1 gang
LG9112-FSC	2 gang
Polished Brass	
LG9111-FPB	1 gang
LG9112-FPB	2 gang
Satin Brass	
LG9111-FSB	1 gang
LG9112-FSB	2 gang
Pearl Nickel	
LG9111-FPN	1 gang
LG9112-FPN	2 gang
Black Nickel	
LG9111-FBN	1 gang
LG9112-FBN	2 gang

LG9111-FPC
1 gang

LG9111-FPB
1 gang

LG9112-FPN
2 gang

LG9112-FBN
2 gang

Features:

- Compliant with BS5733

call to order +44 (0)161 745 7777 fax to order +44 (0)161 745 2777 email: sales@selectricuk.co.uk website: www.selectricuk.co.uk

OPULENCE

by SELECTRIC

Flat Metal Plate Decorative Wiring Accessories with Metal Rockers

Satin Chrome with Metal Rockers and White Insert
Satin Chrome with Metal Rockers and Black Insert

- 10 amp Plate Switches
- Dimmers Push n / ff & No De- ating
- 20 amp DP Switches
- 45 amp DP Switches
- 13 amp Floor Socket utlets
- 13 amp Socket utlets
- ound Pin Socket utlets
- Fused Connection Units
- 45 amp Cooker Units
- Shaver Suppl8 Unit
- TV/FM & Satellite Sockets
- Communication / Data Sockets
- Blanking Plates

Introduction

The large and comprehensive range of flat metal plate decorative wiring accessories represents the perfect combination of style and durability.

OPULENCE by SELECTRIC

Coming in two classical finishes with the option of black or white interiors all with metal rockers, the sleek flat line dimensions of the Opulence range adds a touch of luxury and quality to any room. A truly stunning decorative effect!

Manufactured to the latest British and European standards, backed with a 5 year guarantee and easy to install you can be assured that this range is not only stylish but very durable and long lasting.

- Compliant with the latest British and European standards
- CE approved and marked where applicable
- 5 year guarantee
- Each piece 100% appearance and function tested before being released
- Truly stunning finishes
- Easy to install
- Attractive point of sale packaging

Contents

	Page
Flat Satin Chrome Plate with Metal Rockers and White Insert	137-143
Flat Satin Chrome Plate with Metal Rockers and Black Insert	144-149

Features & Benefits

- All 10 amp switch modules are interchangeable with any plate product within the OPULENCE range

- Easy to install with a clean and modern design

- Each piece 100% appearance and function tested before being released for sale

- Metal Rockers for Truly Stunning Effect

- Compliant with the latest British and European standards

- 5 year manufacturer's guarantee

Technical Information

Specifications & Features
Dimensions
86x86mm (1 gang)
86x146mm (2 gang)
Supplied with M3.5 fixing screws

10 Amp Plate Switches
- Compliant with BSEN60669-1
- 3 Pole fan isolator compliant with BSEN60947-3-1992
- CE Marked
- X-rated for fluorescent or inductive loads

Dimmers Push On/Off
- Compliant with BSEN60669-2-1 vairous
- CE Marked

20 Amp DP Switches
- Compliant with BS3676
- CE Marked
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

45 Amp DP Switches
- Compliant with BS3676
- CE Marked

13 Amp Floor Socket Outlets
- Compliant with BS1363
- 2 earth terminals for safe installation

13 Amp Socket Outlets
- Compliant with BS1363
- 2 earth terminals for safe installation

Round Pin Socket Outlets
- Compliant with BS546

Fused Connection Units
- Compliant with BS1363
- CE Marked

45 Amp Cooker Units
- Compliant with BS4177

Shaver Supply Unit
- Compliant with BS3535

TV/FM & Satellite Sockets
- Compliant with BS3041 where applicable
- Suitable for use with VHF/UHF TV & VHF signals

Communication/Data Sockets
- Compliant with BABT & BSEN41003 where applicable

Blanking Plates
- Compliant with BS5733

10 amp Plate Switches

FSCM-102
3 gang 2 way

Features:
- Compliant with BS3676, BSEN60669
- CE Marked
- Each terminal capable of accepting 3x1.5mm
- X-rated for fluorescent or inductive loads

All 10 amp switch modules are interchangeable with any plate product within the range



FSCM-100

FSCM-104

FSCM-106

Code No.	Description
FSCM-100	1 gang 2 way - X-Rated
FSCM-101	2 gang 2 way - X-Rated
FSCM-102	3 gang 2 way - X-Rated
FSCM-103	4 gang 2 way - X-Rated
FSCM-104	6 gang 2 way - X-Rated
FSCM-105	1 gang intermediate - X-Rated
FSCM-106	3 pole fan isolator - X-Rated

Dimmers Push On / Off- No Derating

LG203/400-FSC
3 gang 2 way 400 watt

Features:
- Compliant with BSEN60669-2-1 various
- CE Marked
- Fits a plaster mounting box (25mm)
- 3 Year Gurantee

LG201-2/400-FSC

LG202/400-FSC

LG204/400-FSC

Code No.	Description
LG201-2/400-FSC	1 gang 2 way 400 watt
LG201-2/1000-FSC	1 gang 2 way 1000 watt
LG202/400-FSC	2 gang 2 way 400 watt
LG203/400-FSC	3 gang 2 way 400 watt
LG204/250-FSC	4 gang 2 way 250 watt
LG204/400-FSC	4 gang 2 way 400 watt

Code No.	Description
FSCM-107	20 amp DP switch with neon

20 Amp DP Switches

FSCM-107
20 amp DP switch with neon

Features:
- Compliant with BS3676, BSEN60669
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth)
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

FSCM-108

Code No.	Description
FSCM-108	1 gang plate with neon
FSCM-109	2 gang plate with neon

45 Amp DP Switches

FSCM-109
2 gang plate with neon

Features:
- Compliant with BS3676, BSEN60669
- CE Marked

13 Amp Floor Socket Outlets



LG9142SNAP-FSCW
2 gang unswitched

Features:
- Compliant with BS1363
- Terminals capable of accepting up to 4x2.5mm conductors
- 2 earth terminals for easy installation

LG9143SNAP-FSCW

Code No.	Description
LG9143SNAP-FSCW	1 gang unswitched Floor Socket White Insert
LG9142SNAP-FSCW	2 gang unswitched Floor Socket White Insert
LG9143SNAP-FSCB	1 gang unswitched Floor Socket Floor Socket Black Insert
LG9142SNAP-FSCB	2 gang unswitched Floor Socket Floor Socket Black Insert

13 amp Sockets Outlets

FSCM-111
2 gang switched DP
+2 earth Terminals

Features:
- Compliant with BS1363
- Terminals capable of accepting up to 4x2.5mm conductors
- 2 earth terminals for easy installation



LG9143-FSCW

LG9142-FSCW

FSCM-110

Code No.	Description
LG9143-FSCW	1 gang unswitched
LG9142-FSCW	2 gang unswitched
FSCM-110	1 gang switched DP
FSCM-111	2 gang switched DP + 2 earth terms

LG0902-FSCW

Code No.	Description
LG9091-FSCW	2 amp 3 pin
LG9092-FSCW	5 amp 3 pin

Round Pin Sockets Outlets

LG9091-FSCW
2 amp 3 pin

Features:
- Compliant with BS546

LG9228-FSCW

FSCM-112

FSCM-115

Code No.	Description
LG9228-FSCW	13 amp unswitched
LG9228N-FSCW	13 amp unswitched with neon
FSCM-112	13 amp DP switched
FSCM-113	13 amp DP switched with flex outlet
FSCM-114	13 amp DP switched with neon
FSCM-115	13 amp DP switched with neon/flex outlet

Fused Connection Units

FSCM-114
13 amp DP switched with neon

Features:
- Compliant with BS1363 Part 4
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth) conductors
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

call to order +44 (0)161 745 7777 fax to order +44 (0)161 745 2777 email: sales@selectricuk.co.uk website: www.selectricuk.co.uk

45 Amp Cooker Units



FSCM-116

13 amp switched socket with neons

Features:

- Compliant with BS4177
- Terminals cap able of accepting up to 2x10mm, 1x10mm each conductor

Code No.	Description
FSCM-116	13 amp switched socket with neons

Shaver Supply Unit

LG9870-FSCW

Dual Voltage- 220/240v 50Hz input
-230/115v output

Features:

- Compliant with BS3535
- Terminals capable of accepting 2x2.5mm conductors

Code No.	Description
LG9870-FSCW	Dual Voltage - 220/240v 50Hz input - 230/115v output

LG2162-FSCW

LG2163-FSCW

LGSAT-FSCW

Code No.	Description
LG2162-FSCW	1 gang TV
LG2163-FSCW	2 gang TV/FM
LGSAT-FSCW	1 gang satellite flush
LGSAT/2-FSCW	2 gang satellite (1x satellite, 1 xTV/FM)

TV/FM & Satellite Sockets



LGSAT/2-FSCW
2 gang satellite (1x satellite, 1x TV/FM)

Features:
- Compliant with BS3041 where applicable
- Isolated versions suitable for use with multi-outlet aerial commercial systems
- Suitable for use with VHF/UHF TV &VHF signals

LG1514-FSCW

LGRJ45-FSCW

Code No.	Description
LG1514-FSCW	1 gang master
LG1515-FSCW	1 gang secondary
LGRJ45-FSCW	1 gang RJ45 (computer / data)
LGRJ45/2-FSCW	2 gang RJ45 (computer / data)

Communication/Data Sockets

LGRJ45/2-FSCW
2 gang RJ45 (computer/data)

Features:
- Compliant with BABT & BSEN41003 where applicable

Blanking Plates

LG9112-FSC
2 gang

Features:
- Compliant with BS5733



LG9111-FSC



Code No.	Description
LG9111-FSC	1 gang
LG9112-FSC	2 gang

Selectric Opulence Range



FSCM-200

FSCM-204

FSCM-206

Code No.	Description
FSCM-200	1 gang 2 way - X-Rated
FSCM-201	2 gang 2 way - X-Rated
FSCM-202	3 gang 2 way - X-Rated
FSCM-203	4 gang 2 way - X-Rated
FSCM-204	6 gang 2 way - X-Rated
FSCM-205	1 gang intermediate - X-Rated
FSCM-206	3 pole fan isolator - X-Rated

10 amp Plate Switches

FSCM-203

4 gang 2 way

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Each terminal capable of accepting 3x1.5mm
- X-rated for fluorescent or inductive loads

All 10 amp switch modules are interchangeable with any plate product within the range

LG201-2/400-FSC

LG202/400-FSC

LG204/400-FSC

Code No.	Description
LG201-2/400-FSC	1 gang 2 way 400 watt
LG201-2/1000-FSC	1 gang 2 way 1000 watt
LG202/400-FSC	2 gang 2 way 400 watt
LG203/400-FSC	3 gang 2 way 400 watt
LG204/250-FSC	4 gang 2 way 250 watt
LG204/400-FSC	4 gang 2 way 400 watt

Dimmers Push On / Off

LG203/400-FSC

3 gang 2 way 400 watt

Features:

- Compliant with BSEN60669-2-1 various
- CE Marked
- Fits a plaster mounting box (25mm)
- 3 Year Gurantee

20 Amp DP Switches

FSCM-207
20 amp DP switch with neon

Features:

- Compliant with BS3676, BSEN60669
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth)
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex



Code No.	Description
FSCM-207	20 amp DP switch with neon

45 Amp DP Switches

FSCM-209
2 gang plate with neon

Features:

- Compliant with BS3676, BSEN60669
- CE Marked

FSCM-208

Code No.	Description
FSCM-208	1 gang plate with neon
FSCM-209	2 gang plate with neon


LG9143-FSCB

LG9142-FSCB

FSCM-210

Code No.	Description
LG9143-FSCB	1 gang unswitched
LG9142-FSCB	2 gang unswitched
FSCM-210	1 gang switched DP
FSCM-211	2 gang switched DP + 2 earth terms
LG9143SNAP-FSCB	1 gang unswitched Floor Socket
LG9142SNAP-FSCB	2 gang unswitched Floor Socket

13 amp Socket Outlets

FSCM-211
2 gang switched DP
+2 earth Terminals

Features:
- Compliant with BS1363
- Terminals capable of accepting up to 4x2.5mm conductors
- 2 earth terminals for easy installation

LG9092-FSCB

Code No.	Description
LG9091-FSCB	2 amp 3 pin
LG9092-FSCB	5 amp 3 pin

Round Pin Sockets Outlets

LG9091-FSCB
2 amp 3 pin

Features:
- Compliant with BS546

call to order +44 (0)161 745 7777 fax to order +44 (0)161 745 2777 email: sales@selectricuk.co.uk website: www.selectricuk.co.uk

Fused Connection Units

FSCM-214

13 amp DP switched with neon

Features:

- Compliant with BS1363 Part 4
- CE Marked
- Terminals capable of accepting 3x2.5mm, 4x2.5mm (Earth) conductors
- Optional cable outlet located at bottom edge of faceplate as a knockout
- Cable clamp located on inside of plate capable of accepting 2.5mm flex

LG9228-FSCB

FSCM-212

FSCM-215

Code No.	Description
LG9228-FSCB	13 amp unswitched
LG9228N-FSCB	13 amp unswitched with neon
FSCM-212	13 amp DP switched
FSCM-213	13 amp DP switched with flex outlet
FSCM-214	13 amp DP switched with neon
FSCM-215	13 amp DP switched with neon/flex outlet

45 Amp Cooker Units

FSCM-216

13 amp switched socket with neons

Features:

- Compliant with BS4177
- Terminals cap able of accepting up to 2x10mm, 1x10mm each conductor

Code No.	Description
FSCM-216	13 amp switched socket with neons

Code No.	Description
LG9870-FSCB	Dual Voltage - 220/240v 50Hz input - 230/115v output

Shaver Supply Unit

LG9870-FSCB
Dual Voltage- 220/240v 50Hz input
-230/115v output

Features:
- Compliant with BS3535
- Terminals capable of accepting 2x2.5mm conductors

LG2162-FSCB



LG2163-FSCB

LGSAT-FSCB

Code No.	Description
LG2162-FSCB	1 gang TV
LG2163-FSCB	2 gang TV/FM
LGSAT-FSCB	1 gang satellite flush
LGSAT/2-FSCB	2 gang satellite (1x satellite, 1 x TV/FM)

TV/FM & Satellite Sockets



LGSAT/2-FSCB
2 gang satellite (1x satellite, 1x TV/FM)

Features:
- Compliant with BS3041 where applicable
- Isolated versions suitable for use with multi-outlet aerial commercial systems
- Suitable for use with VHF/UHF TV &VHF signals

Communication/Data Sockets

LGRJ45/2-FSCB

2 gang RJ45 (computer/data)

Features:

- Compliant with BABT & BSEN41003 where applicable



LG1514-FSCB

LGRJ45-FSCB

Code No.	Description
LG1514-FSCB	1 gang master
LG1515-FSCB	1 gang secondary
LGRJ45-FSCB	1 gang RJ45 (computer / data)
LGRJ45/2-FSCB	2 gang RJ45 (computer / data)

Blanking Plates



LG9112-FSC

2 gang

Features:

- Compliant with BS5733

LG9111-FSC

Code No.	Description
LG9111-FSC	1 gang
LG9112-FSC	2 gang