S-BOX™

POP-UP POWER AT A SINGLE TOUCH

EXPORT RANGE 2019

INTRODUCTION

The S-Box™ range of "pop-up" socket solutions is very special.
Its patented lift-action delivers valuable payload instantly, at the simple touch of a finger, but has been specially designed to provide a strong, stylish and flexible range of countertop options for today's Interior Design demands.

S-Box™ products are not like plastic towers of the past, they are tough and resilient, and are built from solid steel. They have also been tested by FIRA (Furniture Industry Research Association) for up to 75,000 continuous operations.

A CHOICE OF MODELS

Power Box models can be purchased for ***either*** surface-fitting, in colours that blend with popular tonal shades, ***or*** for 'secret' fitting, using your own matching piece of the surrounding worktop material. Whichever method is chosen, the product's patent and its strong construction allows each S-Box™ unit to be tailored to lift smoothly & instantly – whether the top is steel, or timber or even solid stone!

COUNTERTOP STANDARDS

The S-Box™ range of pop-up sockets has passed the very latest tests for use in Kitchen Countertops. These extensive spill and splash tests were carried out independently by U.L. Laboratories and provide all S-Box™ models with full "Certification for Use in Wet Areas" such as kitchen worktops and islands.

UL962A + NEC 2 litre (½ Gallon) Saline Liquid Test

THE WORKTOP SUPPLIER

In all projects it is important to involve the worktop supplier in the preparation process for installation of any S-Box™. Materials such as Granite, Quartz and Marble will require specialist factory tools to cut out the hole, even for the simplest surface-mount installation, but this is exactly the same process as the cut-out requirements for any sink or hob and those worktop materials that are not practical to cut on site.

Full Instructions and Dimensions for Installation are free to download on our website (www.the-sbox.com) and also accompany each product.

Please also see our helpful Storyboard of the Worktop cutting process, located in TECH DATA section of Website →

A RANGE OF SURFACE-FIT or CUSTOM-TOP POP-UP SOCKETS FOR COUNTERTOPS & KITCHEN ISLANDS

KEY FEATURES OF S-BOX™ PRODUCTS

- **Solid steel construction** for strength & durability
- Splash/spill tested by UL Laboratories for Countertop use
- Zero energy, instant lift action at touch of a finger
- Award Winning Innovative British Design
- Independently tested to 75,000 operations (F.I.R.A)

Choose

CUSTOM-TOP or **SURFACE-FIT**

S-BOX™ CHAMELEON

A range of pre-prepared units for installation below surface, and ready for a 'custom top' created by your worktop supplier

CHAMELEON MODELS are supplied with special 'any-radius' rebate-only collar. This is pre-set for installation of the unit at -20mm below the surface on a rebate shelf – one that is pre-cut within (or 'created' below) the counter material. The unit is therefore ready to receive its matching piece of worktop material





S-BOX™ SURFACE

In a range of colours for 'drop-in' fitting into any material



SURFACE FIT MODELS come complete with surface-mounting collar and matching top. These are available Black or Bronze Painted finishes or Brushed Stainless Steel.

S-BOX™ SURFACE





Designed for immediate and simplest installation, these units are supplied with fully-radiused powder-coated Steel Collars and Tops, suitable for a Surface-fitting option. Available **in a range of Architectural-Grade finishes** to suit the colour tone of the worktop or interior decor.



N.B. These units can be retro-converted for "chameleon" use if their collar colour tone is particularly desired for a scheme.

ALL S-BOX UNITS ARE AVAILABLE
IN THE FOLLOWING INTERNATIONAL SOCKETS

UK/BS | EURO F | EURO E Fr/B/Pl/Cz | ITALY | US/JPN | CH | AU/AG

2-PORT MINI

BLACK

ANTIQUE BRONZE

BRUSHED STAINLESS STEEL

3-PORT

BLACK

ANTIQUE BRONZE

BRUSHED STAINLESS STEEL

2-PORT + USB*

*** OPTIONS AVAILABLE**

BLACK

ANTIQUE BRONZE

BRUSHED STAINLESS STEEL

S-BOX™ CHAMELEON

FOR ALL DIMENSIONS AND CUTTING INFORMATION
PLEASE SEE DATA SHEETS & INSTALLATION GUIDE

QUICK VISUAL GUIDE TO INSTALLATION AT -20mm DATUM ON "TRUE" OR "FALSE" REBATE





↑ "TRUE" REBATE
Routed within the Material →

OR

↓ "FALSE" REBATE
created by second/slave material below





MAXIMUM THICKNESS OF ANY CUSTOM TOP IS 12mm

1

THE "ANY RADIUS" COLLAR ALLOWS FOR CORNER CURVATURE CHOICE

2

3

S-BOX™ CHAMELEON

S-Box™ is a Registered Trademark
S-Box™ products' action and top change features are protected by International Patents in UK, EU, USA, CANADA, AU & ASIA.

Cardinal Innovations Ltd, Bradford, West Yorkshire ENGLAND BD4 8AG
Tel: +44 (0) 1274 386820 Email: sales@the-sbox.com Website: www.the-sbox.com